



Job Name: \_\_\_\_\_

Job Location: \_\_\_\_\_

Contractor: \_\_\_\_\_

Engineer: \_\_\_\_\_

Approval: \_\_\_\_\_


# Chrome-Plated Straight Compression Stops

### Design Features:

- Lead Free\* Brass
- Chrome Finish
- Imported

### Operating Specifications:

**Temperature:** 40-160° F  
**Pressure:** 125 psi Max



\*The wetted surface of this product contacted by consumable water contains less than one quarter of a percent (.25%) of lead by weight.



Internal Material Specifications	
Part	Material
Packing	EPDM*
Washer	Stainless Steel 304
Seat Packing	EPDM*
Sleeve	Brass

\*SE-719F NSF certified for hot water, max of 2.0 sq. in. / L.

External Material Specifications		
No.	Part	Material
1	Screw	CP Brass**
2	Handle	Zamac
3	Stem	Celcon or Brass
4	Bonnet	CP Brass
5	Body	CP Brass
6	Comp. Nut	CP Brass

\*\*JIS 3260 C2600W (Copper 70%, Zinc 30%)

Meets AB1953/NSF61G Standard

W-R#	Description	Weight	Dimensions			Stem Material	Min	Box
			A	B	C			
4220024	3/8"OD x 3/8" IPS	.236 lbs.	2"	1-7/8"	2"	Celcon	1	10
4220026	3/8"OD x 1/2" IPS	.277 lbs.	1-3/4"	1-7/8"	2"	Celcon	1	10
4220032	3/8"OD x 1/2" SWT	.253 lbs.	1-7/8"	1-3/4"	1-7/8"	CP Brass	1	10
4220036	3/8"OD x 5/8" OD	.272 lbs.	2"	1-5/8"	2-7/8"	Celcon	1	10
4220038	3/8"OD x 1/2" PEX	.220 lbs.	2"	1-7/8"	2-1/4"	Celcon	1	10